



An extensive range of professional refrigeration equipment.

Subject to availability

Polar’s large collection of refrigeration encompasses fridges, freezers, preparation counters, display cabinets and ice machines.

Available in a variety of sizes, finishes and styles, Polar products are known for their reliability and versatility, in addition to being extremely cost effective.

All products come with a 1 year parts and labour warranty.

All units are supplied with a 10A plug.

Glass Door Display Fridges

Attractive, glass-fronted fridges with white exterior ideal for displaying, storing and chilling food or drinks front of house. Easy to manoeuvre with fitted rear castors. Features lockable doors, LED digital temperature display and white plastic coated adjustable shelving. CFC free.



CD088

- Glass-Door Display Refrigeration
- White Exterior
- Lockable Doors
- Adjustable Shelves
- Rear Castors



CD086



CD087

Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CD086	150Ltr Undercounter	230V/150W	+2 to +8°C	32°C	R134a	850(H) x 600(W) x 600(D)mm	49kg
CD087	400Ltr Glass Cabinet	230V/185W	+2 to +8°C	32°C	R134a	1850(H) x 600(W) x 600(D)mm	74kg
CD088	600Ltr Glass Cabinet	230V/185W	+2 to +8°C	32°C	R134a	1890(H) x 777(W) x 695(D)mm	93kg

Upright Display Chillers

Attractive upright display chiller with double glazed doors for merchandising and display.

- Fan Assisted Cooling
- 4 Adjustable Shelves For DM075 & DM076
- 8 Adjustable Shelves For CD984
- Interior Light
- Lockable Doors



DM075



CD984

Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DM075	218Ltr Glass Single Door	230V/185W	+2 to +8°C	32°C	R134a	1610(H)x 530(W)x 575(D)mm	124kg
DM076	348Ltr Glass Single Door	230V/340W	+2 to +8°C	32°C	R134a	1900(H)x 620(W)x 570(D)mm	134kg
CD984	944Ltr Glass Double Door	230V/550W	+2 to +8°C	32°C	R134a	2050(H)x 1200(W)x 710(D)mm	230kg

Curved Glass Display Cabinets

Refrigerated countertop curved glass display cabinets with ventilated refrigeration for better air circulation and prevention of condensation. Electronic thermostat and digital LED temperature display. LED lamp.



GC872

- CFC Free Refrigerant & Foam
- Fan Forced Airflow
- Auto Defrost

Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight	Colour
GC872	100Ltr	230V/160W	+3°C to +8°C	32°C	R134a	670(H)x 695(W)x 452(D)mm	43kg	Stainless Steel & Glass
GC873	120Ltr	230V/160W	+3°C to +8°C	32°C	R134a	670(H)x 695(W)x 570(D)mm	69kg	Stainless Steel & Glass
GC874	160Ltr	230V/160W	+3°C to +8°C	32°C	R134a	670(H)x 873(W)x 570(D)mm	78kg	Stainless Steel & Glass

Freestanding Deli Showcases

Cakes, pastries and chilled produce can be displayed to maximum effect, in a case with an elegant design. Cooling system ensures a consistent temperature throughout the case. Fan cooling system and triple glazed glass will help prevent condensation.



GG217

- Stainless Steel Finish
- Fan Cooling System
- Automatic Defrost
- 2 Adjustable Shelves
- Triple Glazed Safety Glass
- Heated Glass Function

Code	Description	Power	Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
GG217	1200mm	230V/650W	400Ltr	+2 to+ 8°C	32°C	R134a	1200(H)x 1200(W)x 715(D)mm	260kg
GG218	1500mm	230V/900W	500Ltr	+2 to+ 8°C	32°C	R134a	1200(H)x 1500(W)x 715(D)mm	300kg
GG219	1800mm	230V/1080W	600Ltr	+2 to+ 8°C	32°C	R134a	1200(H)x 1800(W)x 715(D)mm	345kg

Single Door Bar Display Coolers

Keep your best sellers chilled and ready. Integral temperature controller and auto-defrost. Adjustable feet.



DL815

- 104 x 330ml Bottle Capacity
- Black Finished Steel Outer
- 2 Adjustable Shelves
- Lockable Door
- Interior Display Light
- Double Glazed Door

Code	Description	Power	Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL815	Hinged Door	230V/160W	134Ltr	+2°C to +8°C	32°C	R134a	870(H) x 600(W) x 535(D)mm	50kg

Double Door Bar Display Coolers

Keep your best sellers chilled and ready. Integral temperature controller and auto-defrost. Adjustable feet.



DL816

- 169 x 330ml Bottle Capacity
- Black Finished Steel Outer
- Lockable Doors
- Interior Display Light
- 4 Adjustable Shelves
- Double Glazed Door

Code	Description	Power	Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL816	Hinged Door	230V/280W	210Ltr	+2°C to +8°C	32°C	R134a	870(H) x 900(W) x 535(D)mm	62kg
CF759	Sliding Door	230V/280W	210Ltr	+2°C to +8°C	32°C	R134a	870(H) x 900(W) x 535(D)mm	62kg

Triple Door Bar Display Coolers

Keep your best sellers chilled and ready. Integral temperature controller and auto-defrost. Adjustable feet.



DL818

- **273 x 330ml Bottle Capacity**
- **Black Finished Steel Outer**
- **Hinged or Sliding Double Glazed Doors**
- **6 Adjustable Shelves**
- **Internal Display Light**
- **Lockable Doors**


Code	Description	Power	Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL818	Hinged Door	230V/315W	320Ltr	+2°C to +8°C	32°C	R134a	870(H) x 1350(W) x 535(D)mm	85kg
DL819	Sliding Door	230V/315W	320Ltr	+2°C to +8°C	32°C	R134a	870(H) x 1350(W) x 535(D)mm	85kg

Wine Coolers

Efficient, low noise coolers with adjustable thermostats, reversible doors and adjustable feet which provide great flexibility when installing.



CE203



CE204

- **Painted Steel Construction**
- **Double Glazed Door**
- **Scalloped Shelves**
- **Ideal for Bordeaux Bottles**
- **Max Capacity Shown is for 750ml Bordeaux Style Bottles**

Code	Description	Power	Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CE203	26 x 750ml Bottle	230V/85W	88Ltr	+2°C to +18°C	32°C	R600a	825(H) x 430(W) x 480(D)mm	26kg
CE204	47 x 750ml Bottle	230V/85W	130Ltr	+2°C to +18°C	32°C	R600a	820(H) x 550(W) x 570(D)mm	36kg

Chilled Display Cabinets

Chilled display cabinets with a ventilated refrigeration compartment to achieve perfect air circulation. Electronic thermostat and digital LED temperature control for accurate control and easy reading.

- **CFC Free Refrigerant & Foam**
- **Auto-Defrost**
- **Double Glazed**
- **LED Lamp**



GC870

Code	Description	Power	Temperature Range	Max Ambient Temp	Dimensions
GC870	68Ltr	230V /164W	0°C to +12°C	32°C	970(H)x 488(W) x 446(D)mm
GC871	98Ltr	230V /200W	0°C to +12°C	32°C	1200(H)x 495(W) x 453(D)mm

30Ltr Hotel Room Mini Bar

Completely silent operation minibar fridge ideal for use in hotel rooms. Versatile and easy to install. Features absorption cooling system and auto-defrost.



CE322

- **ABS Interior**
- **Freestanding or Built In**
- **Reversible & Lockable Door**
- **2 Shelves & 2 Door Racks**

Code	Description	Power	Temperature Range	Max Ambient Temp	Dimensions
CE322	30Ltr	230V /60W	0°C to +8°C	32°C	530(h)x400(w) x415(d)mm

Undercounter Fridge or Freezer

Lockable undercounter units with electronic controller and rear castors for manoeuvrability. Available in white or stainless steel. CFC free.



CD610



CD080

- **White or Stainless Steel Exterior**
- **LED Digital Temperature Display**
- **Lockable**
- **Fridge has Adjustable Shelves**
- **Freezer has Fixed Shelves**

Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Shelves	Dimensions	Weight	Colour
CD610	150Ltr Fridge	230V /120W	-2°C to +8°C	32°C	R134a	3	850(H)x600(W) x600(D)mm	49kg	White
CD611	140Ltr Freezer	230V /150W	-10°C to -25°C	32°C	R134a	2	850(H)x600(W) x600(D)mm	50kg	White
CD080	150Ltr Fridge	230V /120W	-2°C to +8°C	32°C	R134a z	3	850(H)x 600(W)x 600(D)mm	49kg	Stainless Steel
CD081	140Ltr Freezer	230V /150W	-10°C to -25°C	32°C	R134a	2	850(H)x 600(W)x 600(D)mm	50kg	Stainless Steel

Upright Fridge or Freezer



CD612

Light duty units with LED digital temperature display, electronic controller and rear castors for manoeuvrability. Fridge features four adjustable shelves and freezer features seven fixed shelves. CFC free.

- **LED Digital Temperature Display**
- **CFC Free**
- **White or Stainless Steel Exterior**
- **400Ltr or 600Ltr Fridge & 365Ltr or 600Ltr Freezer Capacity**
- **Lockable**



CD082

Code	Description	Power	Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CD612	White 400Ltr Fridge	230V/185W	400Ltr	-2°C to +8°C	32°C	R134a	1850(H) x 600(W) x 600(D)mm	74kg
CD613	White 365Ltr Freezer	230V/210W	365Ltr	-10°C to -25°C	32°C	R134a	1850(H) x 600(W) x 600(D)mm	84kg
CD614	White 600Ltr Fridge	230V/185W	600Ltr	-2°C to +8°C	32°C	R134a	1890(H) x 780(W) x 695(D)mm	97kg
CD615	White 600Ltr Freezer	230V/350W	600Ltr	-10°C to -25°C	32°C	R134a	1890(H) x 780(W) x 695(D)mm	101kg
CD082	Stainless Steel 400Ltr Fridge	230V/185W	400Ltr	-2°C to +8°C	32°C	R134a	1850(H)x600(W)x600(D)mm	74kg
CD083	Stainless Steel 365Ltr Freezer	230V/210W	365Ltr	-10°C to -25°C	32°C	R134a	1850(H)x600(W)x600(D)mm	84kg
CD084	Stainless Steel 600Ltr Fridge	230V/200W	600Ltr	-2°C to +8°C	32°C	R134a	1890(H)x780(W)x695(D)mm	97kg
CD085	Stainless Steel 600Ltr Freezer	230V/350W	600Ltr	-10°C to -25°C	32°C	R134a	1890(H)x780(W)x695(D)mm	101kg

Cabinet Fridge or Freezer

Lockable cabinets with space for up to 10 gastronorm 2/1 100mm deep pans. For light to medium-duty commercial kitchen and catering environments. Fully automatic controller with constant digital display. Auto-defrost and lockable castors. CFC Free.

- **600Ltr (10 x 2/1 Gastronorm) Capacity**
- **White or Stainless Steel Exterior & Aluminium Interior**
- **60mm Insulation**
- **Fan Assisted Cooling**
- **3 Adjustable Shelves**



Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL893	600Ltr Stainless Steel Fridge	230V/380W	-2°C to +8°C	43°C	R134a	2000(H) X 680(W) X 850(D)mm	145kg
DL894	600Ltr Stainless Steel Freezer	230V/600W	-10°C to -20°C	32°C	R404A	2000(H) X 680(W) X 850(D)mm	148kg
DL899	600Ltr White Fridge	230V/380W	-2°C to +8°C	43°C	R134a	2000(H) X 680(W) X 850(D)mm	145kg
AB411	Spare Shelf	-	-	-	-	-	-
S403	Set of Shelf Brackets	-	-	-	-	-	-

Solid Door 1200Ltr Cabinet Fridge

Lockable cabinets with space for up to 20 gastronorm 2/1 100mm deep pans. For medium-duty commercial kitchen and catering environments. Fully automatic controller with constant digital display. Auto-defrost and lockable castors. CFC free.



- 1200Ltr
- Stainless Steel or White
Exterior & Aluminium Interior
- Forced Air Cooling
- GN 2/1 Compatible
- 6 Adjustable Shelves



Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DL895	1200Ltr Fridge St/St	230V/600W	-2°C to 8°C	43°C	R134a	1990(H) x1340(W) x850(D)mm	195kg
DL896	1200Ltr Freezer St/St	230V/700W	-10°C to -20°C	32°C	R404A	1990(H) x1340(W) x850(D)mm	198kg
DL898	1200Ltr Fridge White	230V/600W	-2°C to 8°C	43°C	R134a	1990(H) x1340(W) x850(D)mm	195kg
DL897	1200Ltr Freezer White	230V/700W	-10°C to -20°C	32°C	R404A	1990(H) x1340(W) x850(D)mm	198kg
AB411	Spare Shelf	-	-	-	-	-	-
S403	Shelf Support Set	-	-	-	-	-	-

Counter Fridges

Refrigerated storage counter with stainless steel work surface. Holds up to six gastronorm 1/1 100mm deep pans. Space saving compressor/condenser fitted underneath. Fully automatic controller with constant digital display. Auto-defrost. CFC free.



G622

- **Stainless Steel Exterior & Interior**
- **Fan Assisted Cooling**
- **35mm Insulation**
- **2 or 3 Door Option**
- **Adjustable Shelves**



U636

Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Shelves	Dimensions	Weight
U636	240Ltr Fridge	230V/158W	+2°C to +8°C	32°C	R134a	2 Adjustable & 2 Floor	880(H) x900(W) x700(D)mm	72kg
G622	368Ltr Fridge	230V/198W	+2°C to +8°C	32°C	R134a	3 Adjustable & 3 Floor	880(H) x1370(W) x700(D)mm	110kg

Counter Fridges

- **2 or 3 Door Option**
- **60mm Insulation**
- **Forced Air Circulation**
- **2 Adjustable Shelves**

Space efficient commercial counter units that also provide additional work surface space. Fully automatic defrost with constant digital display. CFC free. Fitted lockable castors for easy manoeuvring. 700mm models gastronorm compatible.



G597



G596

Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Shelves	Dimensions	Weight
G596	282Ltr 2 Door Fridge	230V/198W	-2°C to +8°C	43°C	R134a	2 Adjustable	850(H) x1360(W) x700(D)mm	98kg
G597	417Ltr 3 Door Fridge	230V/250W	-2°C to +8°C	43°C	R134a	3 Adjustable	850(H) x1795(W) x700(D)mm	134kg
S404	Spare Shelf	-	-	-	-	-	-	-
AB385	Bracket Set	-	-	-	-	-	-	-

Refrigerated Prep Counters

Practical and convenient counters, ideal for preparing pizzas, salads, sandwiches and much more. Features stainless steel worktop, gastronorm pan area with hinged stainless steel cover to protect contents and refrigerated under counter storage. Fully automatic controller with constant digital display and auto defrost. CFC free.



G605

- **Gastronorm Compatible Topper & Cabinet**
- **Stainless Steel Construction**
- **35mm Insulation**
- **Fan Assisted Cooling**



G604

Code	Description	Power	GN Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
G604	254Ltr 2 Door	230V/158W	5 x 1/6	+2°C to +8°C	32°C	R134a	1010(h)X 900(w)X 700(d)mm	85kg
G605	390Ltr 3 Door	230V/198W	8 x 1/4	+2°C to +8°C	32°C	R134a	1010(h)x1370(w)x700(d)mm	120kg
AB385	700mm Spare Shelf	-	-	-	-	-	-	-
S404	700mm Shelf Support Bracket	-	-	-	-	-	-	-

Mega Top Preparation Counters

Large capacity refrigerated salad counters with gastronorm storage area. Stainless steel exterior and insulated stainless steel lid. Fully automatic controller with constant digital display. Supplied with two adjustable shelves. Available in two sizes.



GD882



GD883

- **Stainless Steel**
- **Auto Defrost**
- **HDPE Work Surface/ Cutting Board**
- **CFC Free**
- **Lockable Castors**
- **Supplied with Pans**

Code	Description	Power	Capacity	Temperature Range	Max Ambient Temp	Refrigerant	Shelves	Dimensions	Weight
GD882	Gastronorm capacity: 12 x 1/6GN	230V/300W	405Ltr	0 to +5°C	43°C	R134a	2	1097(H)x 1225(W)x 760(D)mm	138kg
GD883	Gastronorm capacity: 16 x 1/6GN	230V/450W	527Ltr	0 to +5°C	43°C	R134a	2	1097(H)x 1555(W)x 760(D)mm	159kg

Refrigerated Servery Topper

Innovative and versatile counter top servery/prep units with glass surround. Takes up to 100mm deep gastronorm containers. CFC free. Available in 3 lengths. Gastronorm pans sold separately. Lids sold separately.

- **Gastronorm Compatible**
- **304 Stainless Steel Construction**
- **40mm Insulation**
- **Static Cooling**
- **Glass Sneeze Screen Surround**
- **CFC Free**



GD875

Code	Description	Power	Max Ambient Temp	Refrigerant	Dimensions	Weight
GD875	3x 1/3 GN + 1x 1/2 GN	230V/150W	43°C	R134a	435(H)x 1200(W)x 395(D)mm	55kg
GD876	5x 1/3 GN + 1x 1/2 GN	230V/150W	43°C	R134a	435(H)x 1500(W)x 395(D)mm	63kg
GD877	8x 1/3 GN	230V/150W	43°C	R134a	435(H)x 1800(W)x 395(D)mm	72kg

Chest Freezer

Efficient and reliable chest freezers with convenient, easy to open stainless steel lids which can also be used as additional prep space. Suitable for use in high temperature environments. CFC free.



CE210

- **Stainless Steel Lid & White Steel Exterior**
- **68mm Insulation Thickness**
- **Static Cooling**



CE211

Code	Description	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
CE210	390Ltr	230V/250W	-24°C to -18°C	32°C	R134a	852(H) x 1330(W) x 701(D)mm	63kg
CE211	466Ltr	230V/250W	-24°C to -18°C	32°C	R134a	830(H) x 1483(W) x 701(D)mm	66kg
CE212	598Ltr	230V/250W	-24°C to -18°C	32°C	R134a	934(H) x 1603(W) x 733(D)mm	85kg

140Ltr Blast Chiller/ Freezer

Compact stainless steel blast chiller and shock freezer, which can chill and freeze large quantities of food in small periods of time. Taste, appearance and nutritional quality of food is preserved. With self closing door and 70mm of insulation to ensure great thermal efficiency.

- **3 x 1/1 Gastronorm Capacity**
- **Stainless Steel Construction**
- **70mm Insulation**
- **Easy to Clean Self Closing Door**
- **Food Probe**
- **Chills 12kg of Food from +70°C to +3°C in 90mins**
- **Freezes 8kg of Food from +70°C to -18°C in 240mins**



DN492

Code	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DN492	230V/ 770W	+5°C to -35°C	38°C	R404A	945(H)x 800(W)x 815(D)mm	104kg

240Ltr Blast Chiller/ Freezer

Large capacity stainless steel blast chiller and shock freezer which can chill and freeze large quantities of food in small periods of time. Taste, appearance and nutritional quality of food is preserved. Self closing doors and 70mm of insulation to ensure great thermal efficiency.

- **10 x 1/1 Gastronorm Capacity**
- **Stainless Steel Construction**
- **70mm Insulation**
- **Easy to Clean Self Closing Door**
- **Food Probe**
- **Chills 40kg of Food from +70°C to +3°C in 90mins**
- **Freezes 28kg of Food from +70°C to -18°C in 240mins**



DN494

Code	Power	Temperature Range	Max Ambient Temp	Refrigerant	Dimensions	Weight
DN494	230V/ 1300W	+5°C to -35°C	38°C	R404A	1645(H) x 800(W) x 815(D)mm	185kg

15kg Manual Fill Ice Maker

Compact table top ice maker with durable, easy clean 304 stainless steel housing. Ideal for restaurants, bars and cafes. To fill, simply lift lid and fill reservoir. Ice fills into removable internal 2kg basket. Supplied with scoop.

- **Countertop**
- **15kg/24hr Max Output**
- **Bullet Shaped Ice**
- **3 Cube Sizes**



G620

Code	Power	Capacity	Max Ambient Temp	Refrigerant	Dimensions	Weight
G620	230V/ 150W	Bin Storage 2kg	32°C	R134a	415(H) x 365(W) x 420(D)mm	18kg

20kg Mains Fill Ice Maker


Mains fill machine designed for constant and consistent output of fresh ice, ideal for pubs, clubs and bars. Supplied with scoop and installation kit.

- **Stainless Steel Exterior**
- **20kg/24hr Max Output**
- **Bullet Shaped Ice**
- **Adjustable Feet**
- **High Quality Insulation**



T316

Code	Power	Capacity	Max Ambient Temp	Refrigerant	Dimensions	Weight
T316	230V/ 200W	Bin Storage 4kg	32°C	R134a	590(H) x 380(W) x 477(D)mm	28kg



Polar Refrigeration reserve the right to change the design and specification of goods without notice. Descriptions in the leaflet are correct at the time of going to press but are subject to alteration. Details of any changes will be available.

